

RPM	Timing	Knock	Boost
2508.5	30.3	0	-12.4
2512.5	30.3	0	-12.4
2530	30.3	0	-12.3
2539.8	30.3	0	-12.3
2553.8	30.3	0	-12.3
2558.5	30.3	0	-12.4
2570	30.5	0	-12.6
2571	30.5	0	-12.8
2582.8	30.5	0	-12.9
2586.3	30.5	0	-12.8
2601.3	30.5	0	-12.9
2606.5	30.8	0	-12.9
2619.5	30.8	0	-12.8
2627	31	0	-12.8
2639.5	31	0	-13.2
2638	31	0	-13.3
2651	31	0	-13.5
2650.3	31	0	-13.4
2663.3	31.3	0	-13.3
2666.8	31.3	0	-13.4
2682.3	31.3	0	-13.5
2693.5	31.5	0	-13.5
2695.5	31.5	0	-13.6
2706.8	31.5	0	-13.5
2707.8	31.5	0	-13.4
2720.8	31.5	0	-13.4
2730.5	31.5	0	-13.6
2741.5	31.8	0	-13.7
2754.5	31.8	0	-13.6
2750.5	31.8	0	-13.5
2764	31.5	0	-13
2776.5	31	0	-12
2791.8	17.3	0	-8.7
2821	17	0	-5.1
2867.3	15.5	0	-2.4
2910	15.8	0	-2
2937.8	16	0	-0.7
2874.8	16	-0.25	0.3
2849.5	16.3	-0.25	0.8
2892.5	18.8	-0.5	0.8
3000	19	-0.5	0.8
3053.5	19.3	-0.5	0.9
3072.5	19.8	-0.75	1
3065.3	20	-0.75	1
3061.8	20	-1	1.1
3077.3	20.5	-1	1.2

3120.8	20.3	-1	1.2
3159.3	20.3	-1.25	1.2
3191.5	20.3	-1.25	1.2
3219.3	20.5	-1.25	1.1
3248	20.8	-1.5	1.3
3280	20.8	-1.5	1.3
3320.3	20.8	-1.5	1.2
3327.5	20.3	-1.75	1.2
3364.3	20.5	-1.75	1.4
3384.5	20.5	-1.75	1.5
3426.5	20.3	-1.75	1.5
3445.8	20.5	-2	1.5
3505.5	20.5	-2	1.6
3521.3	20.5	-2	1.6
3529.8	20.8	-2	1.5
3533.5	21	-2.25	1.6
3554.3	21	-2.25	1.6
3607.3	21	-2.25	1.7
3673.3	21	-2.25	1.7
3711.5	21.3	-2.5	1.8
3761.3	21.3	-2.5	2
3762	21.3	-2.5	2
3740.5	21.3	-2.75	1.9
3763.3	21.5	-2.75	1.9
3817.3	21.5	-2.75	2
3869.3	21.5	-2.75	2.2
3921	21.8	-3	2.2
3948.8	21.8	-3	2.2
3987	21.8	-3	2.2
4023.5	21.8	-3.25	2.3
4050.8	22	-3.25	2.4
4056	22	-3.25	2.5
4066	22	-3.25	2.6
4100	22.3	-3.5	2.7
4176	22	-3.5	2.6
4219.5	22	-3.5	2.7
4256.8	22	-3.75	2.8
4282.5	22.3	-3.75	2.9
4337.3	22.3	-3.75	3
4358.5	22.3	-4	3.1
4362.5	22.8	-4	3.2
4371.3	22.8	-4	3.1
4437	22.8	-4	3.1
4509.8	23	-4.25	3.2
4541.8	23.3	-4.25	3.3
4547.3	23.3	-4.5	3.3
4570.5	23.5	-4.5	3.4

4601.8	23.5	-4.5	3.3
4663	23.5	-4.5	3.5
4685.3	23.8	-4.75	3.7
4719.8	23.8	-4.75	3.9
4733.5	23.8	-4.994	3.8
4779	24	-4.994	3.8
4829.5	23.8	-4.994	3.8
4883.5	23.8	-4.996	3.9
4919.8	23.5	-4.996	3.9
4909.3	23.5	-4.996	4
4931.8	23.5	-4.994	4
4996	23.5	-4.994	4.3
5043.8	23.5	-4.996	4.4
5120.8	23.3	-4.996	4.4
5159.5	23.3	-4.996	4.5
5231.8	23.3	-4.996	4.7
5196.5	23.3	-4.996	4.8
5189.8	23	-4.996	4.9
5194.5	23	-4.992	4.8
5248.5	23.3	-4.992	4.9
5309	23.3	-4.992	5
5349	23.5	-4.992	5
5372.8	23.5	-4.992	5.1
5411.3	23.8	-4.992	5.3
5448.5	23.5	-4.996	5.3
5468.5	23.3	-4.996	5.5
5495.3	23.3	-4.996	5.6
5572.3	23	-4.996	5.5
5650.8	23.3	-4.996	5.5
5705.8	23.3	-4.996	5.8
5727	23.3	-4.998	5.9
5678.8	22.8	-4.998	6.1
5670.8	22.8	-4.998	6
5737	22.5	-4.998	5.8
5800.8	22.8	-4.998	5.8
5870	23	-4.998	6
5896.3	23	-4.998	6.2
5945.3	22.8	-4.998	6.4
5958.5	22.5	-4.994	6.7
5980.3	22.5	-4.994	6.9
6010.8	22.5	-4.994	7
6047	22.5	-4.994	7.1
6114.3	22.5	-4.994	7
6182.5	22.8	-4.994	6.9
6190	22.5	-4.994	7
6189.8	22.5	-4.994	7
6216.3	22.5	-4.994	6.9

6285.8	22.5	-4.994	7.2
6355.3	22.5	-4.994	7.6
6404	22.5	-4.994	7.9
6409.8	22.5	-4.994	8.1
6392.5	22.5	-4.994	7.6
6431.5	22.5	-4.992	7.5
6470.3	22.5	-4.992	8
6492.8	22.5	-4.992	8.2
6546.5	22.3	-4.994	8
6604.3	22.3	-4.994	8.3
6638	22.5	-4.994	8.6
6680.3	22.5	-4.994	8.6
6758.8	22.5	-4.994	8.7
6765	22.5	-4.994	8.7
6809.5	22.5	-4.994	9
6786.3	22.5	-4.994	9.2
6839	22.5	-4.994	9.3
6921.3	22.5	-4.994	9.3
6979	22.5	-4.994	9.4
6992.8	22.8	-4.994	9.4
7066.8	22.5	-4.994	9.4
7093.5	22.5	-4.994	9.7
7063	22.5	-4.994	9.8
7081	22.3	-4.994	9.9
7106.3	22.3	-4.994	10
7096.5	22.3	-4.994	9.8
7150	22.3	-4.994	9.7
7230.3	22.5	-4.994	9.9
7261	22.3	-4.994	10
7320.5	22.3	-4.994	10.1
7388.8	22.5	-4.994	10.4
7429.3	22.5	-4.994	10.4
7455.3	22.5	-4.994	10.5
7425.3	22.3	-4.994	10.7
7451	22.3	-4.994	11
7472.5	22.3	-4.994	11.1
7549.3	22.3	-4.994	11.2